DLK 255 STR
216

DL UNO SURF QR
230

BAR
244

DLK 260 SPEC
217

DL DUO SURF QR
231

POKER
245

DLK 300 DB SURF
218

DL UNO SURF CDM
232

DLK 350 DB SURF
219

DL DUO SURF CDM
234

DLK 260 SURF
220

TX SURF
236

DLK 320 SURF
222

PROFIX
237

NEW LINE TKL
224


FLAYER
238

NEW LINE 600 PERF SURF
226

BOX – M
240

SPORT GYM 1200
228

PALAO 1000
242

SPORT GYM 600
229


PLAFO SQ
243

04

SURFACE MOUNTED

SQUARE

Surface (wall or ceiling) mounted luminaire for compact fluorescent lamps. Body is made of steel and aluminium. All RAL colours are available.





IP20 | 230 V 50 Hz | F | ⏚ | CE

DLK 255 STR

Index no.	Lamp	Weight	Socket
130.213E	EVG, 2x13W TC-DEL	2,95 kg	G24q-1
130.218E	EVG, 2x18W TC-DEL	2,95 kg	G24q-2
130.226E	EVG, 2x26W TC-DEL	3,00 kg	G24q-3



Surface (wall or ceiling) mounted luminaire for compact fluorescent lamps. Body is made of steel and aluminium. All RAL colours are available.



IP44 | 230 V 50 Hz | F | CE

DLK 260 SPEC

Index no.	Lamp	Weight	Socket
0000-002773.213E	EVG, 2x13W TC-DEL	2,70 kg	G24q-1
0000-002773.218E	EVG, 2x18W TC-DEL	2,70 kg	G24q-2
0000-002773.226E	EVG, 2x26W TC-DEL	2,70 kg	G24q-3



Surface mounted luminaire for compact fluorescent lamps. Body is made of steel and aluminium. All RAL colours are available.



IP20 | 230 V 50 Hz | F | CE

DLK 300 DB SURF

Index no.	Lamp	Weight	Socket
0000-002410.214E	EVG, 2x14 W PL-R Eco	2,80 kg	GR14q
0000-002410.217E	EVG, 2x17 W PL-R Eco	2,80 kg	GR14q



Surface mounted luminaire for compact fluorescent lamps. Body is made of steel and aluminium. All RAL colours are available.



IP20 | 230 V 50 Hz | F | CE

DLK 350 DB SURF

Index no.	Lamp	Weight	Socket
0000-002775.218E	EVG, 2x18W TC-F	4,90 kg	2G10
0000-002775.224E	EVG, 2x24W TC-F	4,90 kg	2G10
0000-002775.236E	EVG, 2x36W TC-F	4,90 kg	2G10



Surface mounted luminaire for compact fluorescent lamps. Body is made of steel and aluminium. All RAL colours are available.



IP44 | 230 V 50 Hz | F | CE

DLK 260 SURF

Index no.	Lamp	Weight	Socket
0000-002776.113E	EVG, 1x13W TC-DEL	2,70 kg	G24q-1
0000-002776.118E	EVG, 1x18W TC-DEL	2,70 kg	G24q-2
0000-002776.126E	EVG, 1x26W TC-DEL	2,70 kg	G24q-3
0000-002776.213E	EVG, 2x13W TC-DEL	2,90 kg	G24q-1
0000-002776.218E	EVG, 2x18W TC-DEL	2,90 kg	G24q-2
0000-002776.226E	EVG, 2x26W TC-DEL	2,90 kg	G24q-3



Surface mounted luminaire for compact fluorescent lamps. Body is made of steel and aluminium. All RAL colours are available.



IP44 | 230 V 50 Hz | F | CE

DLK 320 SURF

Index no.	Lamp	Weight	Socket
614.218 V	VVG, 2xTC-D 18 W	3,85 kg	G24d-2
614.218 E	EVG, 2xTC-DEL 26 W	3,35 kg	G24q-2
614.226 V	VVG, 2xTC-D 26 W	3,85 kg	G24d-3
614.226 E	EVG, 2xTC-DEL 26 W	3,35 kg	G24q-3



Spa & Wellness

Surface mounted luminaire for PLL lamps. Body is made of steel and aluminium.
All RAL colours are available. IP 44 version on request.



IP20 | 230 V 50 Hz

NEW LINE TKL

Index no.	Lamp	Weight	Socket
0000-002778.336E	EVG, 3x36 TC-L	6,00 kg	2G11



CLIO
CLIO
NOWE RENAULT

Surface mounted luminaire for PLL lamps. Body is made of steel and aluminium.
All RAL colours are available.



IP20 | 230 V 50 Hz | F | ⏚ | CE

NEW LINE 600 PERF SURF

Index no.	Lamp	Weight	Socket
0000-002779.155E	EVG, 1x55W TC-L	6,80 kg	2G11
0000-002779.255E	EVG, 2x55W TC-L	7,00 kg	2G11



Surface mounted luminaire for TC-L or T5 lamps. Body is made of steel and aluminium. All RAL colours are available.



IP20 | 230 V 50 Hz

SPORT GYM 1200

Index no.	Lamp	Weight	Socket
0000-002136.480E	EVG, 4x80W TC-L	11,00 kg	2G11



Surface mounted luminaire for T5 or T8 linear lamps. Body is made of steel and aluminium. All RAL colours are available.



IP20 | 230 V 50 Hz

SPORT GYM 600

Index no.	Lamp	Weight	Socket
0000-002781.414E	EVG, 4x14W T5	9,00 kg	G5
0000-002781.424E	EVG, 4x24W T5	9,00 kg	G5



Surface mounted luminaire for QR111 lamp. Body is made of steel and aluminium.
All RAL colours are available.



IP20 | 230 V 50 Hz | F | CE

DL UNO SURF QR

Index no.	Lamp	Weight	Socket
0000-002781.1QR111	1xQR111	1,95 kg	G53



Surface mounted luminaire for QR111 lamps. Body is made of steel and aluminium. All RAL colours are available.



IP20 | 230 V 50 Hz

DL DUO SURF QR

Index no.	Lamp	Weight	Socket
0000-002457.2QR111	2xQR111	3,8 kg	G53



Surface mounted luminaire for CDM-T lamp. Body is made of steel and aluminium. All RAL colours are available.



IP20 | 230 V 50 Hz | F | ⏚ | CE

DL UNO SURF CDM

Index no.	Lamp	Weight	Socket
0000-002782.135E	EVG, 1x35W CDM-T	2,90 kg	G12
0000-002782.170E	EVG, 1x70W CDM-T	2,90 kg	G12

Different types of reflector available on request (narrow, medium and wide beam).





NOWE
RENAULT THALIA
NOWE RENAULT
SCENIC
Wszechstronnie
rodzinne

Surface mounted luminaire for CDM-T lamps. Body is made of steel and aluminium. All RAL colours are available.



IP20 | 230 V 50 Hz | F | CE

DL DUO SURF CDM

Different types of reflector available on request (narrow, medium and wide beam).

Index no.	Lamp	Weight	Socket
0000-002239.235E	EVG, 2x35W CDM-T	4,90 kg	G12
0000-002239.270E	EVG, 2x70W CDM-T	4,90 kg	G12





CLIO

Surface mounted luminaire for CDM-R111 or QR111 lamps. Body is made of steel and aluminium. All RAL colours are available.



IP20 | 230 V 50 Hz | F | CE

TX SURF

Index no.	Lamp	Weight	Socket
0000-002783.335E	EVG, 3x35W CDM-R111	3,50 kg	GX8,5
0000-002239.370E	EVG, 3x35W CDM-R111	3,50 kg	GX8,5



Surface or track mounted luminaire for PLL lamp. Body is made of aluminium profiles. All RAL colours are available.



IP20 | 230 V 50 Hz

PROFIX

Index no.	Lamp	Weight	Socket
534.136E	EVG, 1x36 W PLL, L = 450 mm	2,50 kg	2G11
534.55E	EVG, 1x55 W PLL, L = 570 mm	3,00 kg	2G11
534.80E	EVG, 1x80 W PLL, L = 600 mm	3,20 kg	2G11



Surface or track mounted luminaire for PLL lamp. Body is made of steel and aluminium. All RAL colours are available.





IP20 | 230 V 50 Hz | F | CE

FLAYER

Index no.	Lamp	Weight	Socket
0000-001652.155E	EVG, 1x55W TC-L	1,90 kg	2G11



FABORY
KLINGSPOR
TYROLIT
BAHCO
STANLEY
STAHLWILLE
STAHLWILLE
STAHLWILLE
KNIPEX
FABORY

Surface - wall or ceiling mounted luminaire for QR111 lamp. Body is made of steel and aluminium. All RAL colours are available.



IP20 | 230 V 50 Hz | F | CE

BOX - M

Index no.	Lamp	Weight	Socket
0000-002207.1QR111	1xQR111	2,10 kg	G53



Surface mounted luminaire for T5 linear lamps. Body is made of steel and aluminium. All RAL colours are available. Other power options on request.



IP20 | 230 V 50 Hz | F | CE

PALAO 1000

Index no.	Lamp	Weight	Socket
0000-002138.414E	EVG, 4x14W T5	7,00 kg	G5
0000-002138.424E	EVG, 4x24W T5	7,00 kg	G5



Surface mounted direct/indirect luminaire for compact fluorescent lamps. Body is made of steel and aluminium. All RAL colours are available.





IP20 | 230 V 50 Hz

PLAFO SQ

Index no.	Lamp	Weight	Socket
0000-002780.218E	EVG, 2x18W TC-L	4,90 kg	2G11
0000-002780.224E	EVG, 2x24W TC-L	4,90 kg	2G11



Surface mounted luminaire for T5 or T8 linear lamp. Body is made of steel. All RAL colours are available.

IP20 | 230 V 50 Hz | F | CE

BAR

BAR T5

Index no.	Lamp	Weight	Lenght
229.14E	EVG, 1x14W T5	0,90 kg	585 mm
229.24E	EVG, 1x24W T5	0,90 kg	585 mm
229.21E	EVG, 1x21W T5	1,20 kg	885 mm
229.39E	EVG, 1x39W T5	1,20 kg	885 mm
229.28E	EVG, 1x28W T5	1,60 kg	1185 mm
229.54E	EVG, 1x54W T5	1,60 kg	1185 mm
229.35E	EVG, 1x35W T5	1,85 kg	1485 mm
229.49E	EVG, 1x49W T5	1,85 kg	1485 mm
229.80E	EVG, 1x80W T5	1,85 kg	1485 mm

BAR T8

Index no.	Lamp	Weight	Lenght
228.36V	VVG, 1x36W T8	2,00 kg	1235 mm
228.36E	EVG, 1x36W T8	1,75 kg	1235 mm
228.58V	VVG, 1x58W T8	2,40 kg	1535 mm
228.58E	EVG, 1x58W T8	2,15 kg	1535 mm



Surface mounted luminaire for T8 lamp.s Body is made of steel. All RAL colours are available.



IP20 | 230 V 50 Hz

POKER

Index no.	Lamp	Weight	Length	Socket
0000-002784.118V	VVG, 1x18W T8	1,10 kg	618 mm	G13
0000-002784.130V	VVG, 1x30W T8	1,30 kg	923 mm	G13
0000-002784.136V	VVG, 1x36W T8	1,50 kg	1228 mm	G13
0000-002784.158V	VVG, 1x58W T8	2,00 kg	1528 mm	G13
0000-002784.218V	VVG, 2x18W T8	1,10 kg	618 mm	G13
0000-002784.230V	VVG, 2x30W T8	1,90 kg	923 mm	G13
0000-002784.236V	VVG, 2x36W T8	2,10 kg	1228 mm	G13
0000-002784.258V	VVG, 2x58W T8	2,90 kg	1528mm	G13
0000-002784.118E	EVG, 1x18W T8	1,10 kg	618 mm	G13
0000-002784.130E	EVG, 1x30W T8	1,30 kg	923 mm	G13
0000-002784.136E	EVG, 1x36W T8	1,50 kg	1228 mm	G13
0000-002784.158E	EVG, 1x58W T8	2,00 kg	1528 mm	G13
0000-002784.218E	EVG, 2x18W T8	1,10 kg	618 mm	G13
0000-002784.230E	EVG, 2x30W T8	1,90 kg	923 mm	G13
0000-002784.236E	EVG, 2x36W T8	2,10 kg	1228 mm	G13
0000-002784.258E	EVG, 2x58W T8	2,90 kg	1528mm	G13